

## Model SF-E Automatic Horizontal Packing Machine

Application: Suitable for packing various solid regular products, such as biscuit, bread, moon cake, instant noodles, tablet, industrial components with tray products.



☎ TEL: +86-532-89653208  
☎ FAX: +86-532-89653207  
✉ EMAIL: [songben@cnsongben.com](mailto:songben@cnsongben.com)

Contact Us

Model	SF-E 450/99	SF-E 450/120	SF-E 450/150	SF-E 590/120	SF-E 590/150	SF-E 590/180
Specification						
Max Film Width (mm)	< 420	< 420	< 420	< 560	< 560	< 560
Packing Size						
L:Bag Length(mm)	L:90-400	L:100-400	L:120-450	L:100-400	L:120-450	L:140-480
W:Product Width(mm)	W:10-150	W:10-150	W:10-150	W:30-200	W:30-200	W:30-200
H:Product Height(mm)	H:5-25 25-40	H:10-30 30-55	H:30-50 40-75	H:10-30 30-55	H:30-50 40-75	H:40-70 60-100
Packing Speed (Packs/Min )	30-200	30-180	30-150	30-150	30-120	30-100
Dimension(mm)	4800*1060*1800 (Including 3m Conveyor)			4800*1200*1800 (Including 3m Conveyor)		
Film Material	Heat sealing compound film, OPP/PE, PT/PE, AL/PE, etc.					
Total Weight(kg)	1000			1200		
Motor Power	Main Motor 1.5KW 1 set; Film Motor 0.75KW 1 set; Infeed Conveyor Motor 0.75KW 1 set					
Power Supply	Single Phase 220V, 50HZ					
Total Power	5KW					

